Environmental Product Declaration





In accordance with ISO 14025 and EN 15804:2012+A2:2019 for:



from

Nordic Façade Solutions NFS, Formica Group




Programme: The International EPD® System, <u>www.environdec.com</u>

Programme operator: EPD International AB

EPD registration number: S-P-05864
Publication date: 2022-04-06
Revision date: 2022-08-15
Valid until: 2027-04-06

An EPD should provide current information and may be updated if conditions change. The stated validity is therefore subject to the continued registration and publication at www.environdec.com







General information

Programme information

Programme:	The International EPD® System					
	EPD International AB					
Address:	Box 210 60					
Address:	SE-100 31 Stockholm					
	Sweden					
Website:	www.environdec.com					
E-mail:	info@environdec.com					

CEN standard EN 15804 serves as the Core Product Category Rules (PCR)
Product category rules (PCR): PCR 2019:14. CONSTRUCTION PRODUCTS. VERSION 1.11
PCR review was conducted by: <i>IVL Swedish Environmental Research Institute</i> (<u>martin.erlandsson@ivl.se</u>) and Secretariat of the International EPD® System
Independent third-party verification of the declaration and data, according to ISO 14025:2006: □ EPD process certification ⊠ EPD verification
Third party verifier: Ugo Pretato, Approved individual verifier, Studio Fieschi & Soci C.so Vittorio Emanuele II, 18, 10123, Torino, Italy. www.studiofieschi.it Approved by: The International EPD® System
Procedure for follow-up of data during EPD validity involves third party verifier:
□ Yes □ No

The EPD owner has the sole ownership, liability, and responsibility for the EPD.

EPDs within the same product category but from different programmes may not be comparable. EPDs of construction products may not be comparable if they do not comply with EN 15804. For further information about comparability, see EN 15804 and ISO 14025.

EPD information

Differences versus previous versions:

2022-04-06, version 1
 Editorial changes to product description and reference service life.
 2022-07-13, version 2
 Editorial changes to company information





Company information

Owner of the EPD: Nordic Façade Solutions Oy, Tehtaantie 12, 35990 Kolho, Finland

Contact: Irmak Akal, i.akal@nemho.com

<u>Description of the organisation:</u> Nordic Facade Solutions is a subsidiary of Formica Limited and incorporates the exterior brands of Formica Group and Trespa International – all under one roof. NFS deliver a comprehensive service, to first understand the client's needs and then to provide the best cladding solution from the VIVIX+® by Formica Group, Trespa® Meteon® and Pura® NFC by Trespa ranges.

Nordic Facade Solutions have local production and warehousing facilities and a team of local sales and customer service representatives to support clients through their projects.

Description of the manufacturing company:

Formica Group

The first and original Formica Group invented high pressure laminates in 1913. Pioneers by definition, our iconic Formica® brand represents the quintessence of laminates.

Inspired by life

Laminates entered people's daily lives and made modernity dreams come true and accessible. Similarly, the demand for multifunctional, practical and durable designed surfaces is a constant inspiration for our Formica® Collections. At rest, at leisure, at work.

Evolving with the times

The way people live, work and play continuously changes. Formica Group keep pace with these evolving times through constant innovation, reflecting global trends and responding to ever changing needs and habits

The true original, still surfacing the world.

<u>Product-related or management system-related certifications:</u> The Formica plant situated in Kolho, Finland is certified according to ISO 14001 standards.

Name and location of production site(s): Kolho (Finland)

Product information

Product name: Vivix+ HPL panels 6 mm & 8 mm

Product identification: Compact laminate panels for exterior walls or ceiling finishes

<u>Product description:</u> Vivix+ panels are decorative high-pressure compact laminate panels (high-pressure laminates, HPL) for exterior walls or ceiling finishes according to EN438:6-2016.

Vivix+ products comprise individual layers of natural fibres, treated with thermosetting resins and pressed under high pressure. The panels are attributed with an integrated decorative layer on one side or both sides of the panels. They are available in number of color, décor range and thicknesses (6 mm and 8 mm). The manufacturing plants involved in the production process are Trespa in the Netherlands (sister company of Formica) and Formica in Finland.





UN CPC code: not available.

LCA information

Declared unit: 1 squared meter of finished panel plus primary packaging

Reference service life: 50 years


Time representativeness: 2021 production year

<u>Database(s)</u> and <u>LCA</u> software used: The LCA study was performed with the support of the Simapro LCA software (version 9.3) and Ecoinvent 3.8 ad Carbon Minds database

Description of system boundaries:

[a) Cradle to gate with modules C1–C4 and module D (A1–A3 + C + D);

System diagram:



All the semi-finished materials are produced at Trespa and shipped to Formica Kolho in Finland to be pressed. Trespa is Formica's sister company.

More information:

Name and contact information of LCA practitioner: Irmak Akal i.akal@nemho.com, Marius Bakken Støle m.b.stole@nemho.com

Name of the organisation carrying out the underlying study: Nordic Facade Solutions NFS, Formica Group

Modelling of electricity in module A3: according to the specific electricity mix purchased by Formica Kolho, which corresponds to 100% renewable energy, specifically from hydropower. The impact on climate change of 1 kWh is $1.02E-02\ kgCO_{2eq}$.





Main assumptions adopted in the study:

- Secondary data are taken from the database Ecoinvent v 3.8 and Carbon Minds. In the selection of secondary data, priority is given to more representative data in terms of temporal coverage, geographical coverage, and production technology.
- When the supplier of a raw material is known, specific transport distances from the supplier to the factory are considered in the study, otherwise transport is modelled according to average transport distances reflecting the market mix.
- The transport of packaging materials is excluded from the system boundary.

End of life scenario for Vivix+ panels:

Vivix+ panels are commonly used as secondary material for energy recovery, therefore it is assumed that 100% of the HPL panel at the end of life is sent to incineration. Loads from material incineration (C3) and resulted energy credits (module D) are declared. Energy credits are calculated considering a lower heating value (LHV) of panels equal to 19 MJ/kg as declared by ICDLI (2015) and an efficiency of incineration equal to 60%.





Modules declared, geographical scope, share of specific data (in GWP-GHG indicator) and data variation:

	Pro	duct st	age	prod	ruction cess age			Us	se sta	ge			Er	nd of li	fe sta	ge	Resource recovery stage
	Raw material supply	Transport	Manufacturing	Transport	Construction installation	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	De-construction demolition	Transport	Waste processing	Disposal	Reuse-Recovery-Recycling- potential
Module	A 1	A2	А3	A4	A5	B1	B2	В3	B4	B5	В6	В7	C1	C2	C3	C4	D
Modules declared	Х	Х	Х	ND	ND	ND	ND	ND	ND	ND	ND	ND	Х	Х	Х	Х	×
Geography	GLO	GLO	EU	ND	ND	ND	ND	ND	ND	ND	ND	ND	EU	EU	EU	EU	EU
Specific data used		>90%		ND	ND	ND	- ND	ND	ND -	ND -	ND -	ND -	-			-	-

X= module declared

ND= module not declared





Content information

Table 1: Average composition of Vivix+ HPL panels, 6mm thick referred to 1 \mbox{m}^2

Product components	Weight, kg	Post-consumer material, weight-%	Renewable material, weight-%
Phenolic resin	3,24-3,37	0%	0%
Kraft paper	5,02-5,15	0%	100%
Coating chemicals	0,23-0,24	0%	0%
Décor paper	0,16-0,17	0%	100%
TOTAL	8,79	0%	59-60,4%

TABLE 2: AVERAGE COMPOSITION OF VIVIX+ HPL PANELS, 8MM THICK REFERRED TO 1 M²

Product components	Weight, kg	Post-consumer material, weight-%	Renewable material, weight-%
Phenolic resin	4,36-4,53	0%	0%
Kraft paper	6,80-6,96	0%	100%
Coating chemicals	0,20-0,24	0%	0%
Décor paper	0,16-0,17	0%	100%
TOTAL	11,72	0%	59,4-60,8%

Table 3: Average packaging for Vivix+ HPL panels, 6mm thick referred to 1 \mbox{m}^2

Packaging materials	Weight, kg	Weight-% (versus the total packaging)
PP foil	0,05	6,7%
EUR pallets	0,74	90,2%
Corner protector	0,02	2,4%
Package bands	0,01	1,2%
Pallet labels	0,0003	0,04%
TOTAL	0,8203	100%





Table 4: Average packaging for Vivix+ HPL panels, 8mm thick referred to 1 m^2

Packaging materials	Weight, kg	Weight-% (versus the total packaging)
PP foil	0,06	5,5%
EUR pallets	0,98	90,7%
Corner protector	0,03	2,7%
Package bands	0,01	0,9%
Pallet labels	0,0005	0,05%
TOTAL	1,08	100%

Dangerous substances from the candidate list of SVHC for Authorisation

Vivix+ panels do not contain substances listed on the candidate list of Substances of Very High Concern, as published on the ECHA website, in concentrations exceeding 0.1 percentage by mass.





Environmental Information – 6 mm panels

Potential environmental impact – mandatory indicators according to EN 15804

		Results	s per functiona	l or declared	unit		
Indicator	Unit	Tot.A1-A3	C1	C2	СЗ	C4	D
GWP-fossil	kg CO ₂ eq.	2,67E+01	3,09E-01	7,91E-02	7,24E+00	0,00E+00	-8,79E+00
GWP-biogenic	kg CO ₂ eq.	-1,09E+01	0,00E+00	0,00E+00	1,09E+01	0,00E+00	0,00E+00
GWP- luluc	kg CO ₂ eq.	3,66E-02	7,29E-04	2,87E-05	7,18E-05	0,00E+00	-9,07E-03
GWP- total	kg CO ₂ eq.	1,58E+01	3,10E-01	7,91E-02	1,81E+01	0,00E+00	-8,80E+00
ODP	kg CFC 11 eq.	7,23E-06	1,53E-08	1,90E-08	2,21E-08	0,00E+00	-7,22E-07
AP	mol H⁺ eq.	1,25E-01	1,67E-03	4,02E-04	3,86E-03	0,00E+00	-2,54E-02
EP-freshwater	kg PO ₄ ³⁻ eq.	2,99E-02	9,49E-04	1,52E-05	1,65E-04	0,00E+00	-1,16E-02
EP-freshwater	kg P eq.	9,75E-03	3,09E-04	4,97E-06	5,38E-05	0,00E+00	-3,77E-03
EP- marine	kg N eq.	2,78E-02	2,88E-04	1,38E-04	2,23E-03	0,00E+00	-4,47E-03
EP-terrestrial	mol N eq.	2,84E-01	2,51E-03	1,51E-03	2,03E-02	0,00E+00	-4,09E-02
POCP	kg NMVOC eq.	9,00E-02	6,86E-04	4,51E-04	5,11E-03	0,00E+00	-1,33E-02
ADP- minerals&metals*	kg Sb eq.	1,87E-04	7,25E-07	1,83E-07	5,77E-07	0,00E+00	-1,48E-05
ADP-fossil*	MJ	4,74E+02	6,58E+00	1,24E+00	1,33E+00	0,00E+00	-1,54E+02
WDP	m³ eq.	8,18E+00	7,28E-02	4,28E-03	4,65E-02	0,00E+00	-9,11E-01
Acronyms	GWP-luluc = stratospheric Eutrophicatior Eutrophicatior Eutrophicatior ADP-minerals	Global Warming ozone layer; An potential, fram potential, fram potential, Accurate Abiotem 2 Abi	Potential land AP = Acidification ction of nutrier ction of nutrie umulated Excee tic depletion pot	use and land ion potential, hts reaching nts reaching dance; POCP ential for non-f	use change; OE Accumulated E freshwater end marine end c = Formation po ossil resources;	DP = Depletion Exceedance; E compartment compartment; I otential of tropo ADP-fossil = A	tential biogenic; potential of the P-freshwater = ; EP-marine = EP-terrestrial = pspheric ozone; Abiotic depletion weighted water

^{*} Disclaimer: The results of this environmental impact indicator shall be used with care as the uncertainties of these results are high or as there is limited experience with the indicator.





TABLE 5: POTENTIAL ENVIRONMENTAL IMPACT — ADDITIONAL MANDATORY AND VOLUNTARY INDICATORS

	Results per functional or declared unit											
Indicator	Unit	Tot.A1-A3	C1	C2	C3	C4	D					
GWP- GHG ¹	kg CO₂ eq.	2,64E+01	3,07E-01	7,85E-02	7,23E+00	0,00E+00	-8,61E+00					

Additional voluntary indicators have been calculated in the background report.

Use of resources

	Resi	ults per func	tional or dec	lared unit			
Indicator	Unit	Tot.A1- A3	C1	C2	C3	C4	D
PERE	MJ	1,76E+02	1,14E+00	1,58E-02	7,68E-02	0,00E+00	- 1,38E+01
PERM	MJ	7,86E+01	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PERT	MJ	2,55E+02	1,14E+00	1,58E-02	7,68E-02	0,00E+00	- 1,38E+01
PENRE	MJ	2,82E+02	6,58E+00	1,24E+00	1,33E+00	0,00E+00	- 1,54E+02
PENRM	MJ.	1,93E+02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PENRT	MJ	4,74E+02	6,58E+00	1,24E+00	1,33E+00	0,00E+00	- 1,54E+02
SM	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
RSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
NRSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
FW	m³	2,12E-01	5,49E-03	1,48E-04	5,03E-03	0,00E+00	-6,70E-02
Acronyms	PERE = Use of reneral raw materials; PERI = Total use of reneral renergy excluding not of non-renewable primary esecondary fuels; NR	M = Use of relewable primar n-renewable rimary energy energy re-sou	newable prim ry energy res primary energy resources u rces; SM = U	ary energy resources; PENgy resources ised as raw resources	sources used IRE = Use o used as raw naterials; PEI ary material;	d as raw mate f non-renewa materials; PE NRT = Total RSF = Use o	erials; PERT able primary NRM = Use use of non- f renewable

_

¹ The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus almost equal to the GWP indicator originally defined in EN 15804:2012+A1:2013.





Waste production and output flows

Waste production

Results per functional or declared unit											
Indicator	Unit	Tot.A1-A3	C1	C2	C3	C4	D				
Hazardous waste disposed	kg	1,00E-01	9,20E-04	6,85E-05	4,60E-01	0,00E+00	-1,17E-02				
Non-hazardous waste disposed	kg	7,50E+00	2,18E-02	1,16E-01	1,91E-01	0,00E+00	-3,00E-01				
Radioactive waste disposed	kg	2,13E-03	4,82E-05	8,41E-06	3,83E-06	0,00E+00	-5,92E-04				

Output flows

	Res	ults per func	tional or dec	clared unit			
Indicator	Unit	Tot.A1- A3	C1	C2	C3	C4	D
Components for re-use	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Material for recycling	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for energy recovery	kg	0,00E+00	0,00E+00	0,00E+00	8,79E+00	0,00E+00	0,00E+00
Exported energy, electricity	MJ	0,00E+00	0,00E+00	0,00E+00	3,31E+01	0,00E+00	0,00E+00
Exported energy, thermal	MJ	0,00E+00	0,00E+00	0,00E+00	6,72E+01	0,00E+00	0,00E+00

Information on biogenic carbon content

Results per functional or declared unit						
BIOGENIC CARBON CONTENT Unit QUANTITY						
Biogenic carbon content in product	kg C	2,95E+00				
Biogenic carbon content in packaging kg C Not considered						

Note: 1 kg biogenic carbon is equivalent to 44/12 kg CO₂.





Environmental Information – 8 mm panels

Potential environmental impact – mandatory indicators according to EN 15804

Results per functional or declared unit							
Indicator	Unit	Tot.A1-A3	C1	C2	C3	C4	D
GWP-fossil	kg CO ₂ eq.	3,56E+01	4,12E-01	1,05E-01	9,66E+00	0,00E+00	-1,17E+01
GWP-biogenic	kg CO ₂ eq.	-1,46E+01	0,00E+00	0,00E+00	1,46E+01	0,00E+00	0,00E+00
GWP- luluc	kg CO ₂ eq.	4,88E-02	9,73E-04	3,82E-05	9,57E-05	0,00E+00	-1,21E-02
GWP- total	kg CO ₂ eq.	2,11E+01	4,13E-01	1,06E-01	2,41E+01	0,00E+00	-1,17E+01
ODP	kg CFC 11 eq.	9,64E-06	2,04E-08	2,54E-08	2,95E-08	0,00E+00	-9,63E-07
AP	mol H⁺ eq.	1,66E-01	2,22E-03	5,36E-04	5,14E-03	0,00E+00	-3,39E-02
EP-freshwater	kg PO ₄ ³⁻ eq.	3,99E-02	1,27E-03	2,03E-05	2,20E-04	0,00E+00	-1,54E-02
EP-freshwater	kg P eq.	1,30E-02	4,12E-04	6,62E-06	7,18E-05	0,00E+00	-5,03E-03
EP- marine	kg N eq.	3,71E-02	3,84E-04	1,84E-04	2,98E-03	0,00E+00	-5,95E-03
EP-terrestrial	mol N eq.	3,78E-01	3,35E-03	2,01E-03	2,71E4-02	0,00E+00	-5,45E-02
POCP	kg NMVOC eq.	1,20E-01	9,14E-04	6,01E-04	6,82E-03	0,00E+00	-1,78E-02
ADP- minerals&metals*	kg Sb eq.	2,49E-04	9,67E-07	2,44E-07	7,70E-07	0,00E+00	-1,97E-05
ADP-fossil*	MJ	6,32E+02	8,77E+00	1,66E+00	1,77E+00	0,00E+00	-2,06E+02
WDP	m³	1,09E+01	9,71E-02	5,70E-03	6,20E-02	0,00E+00	-1,21E+00
GWP-fossil = Global Warming Potential fossil fuels; GWP-biogenic = Global Warming Potential biogenic; GWP-luluc = Global Warming Potential land use and land use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADP-minerals&metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption							

^{*} Disclaimer: The results of this environmental impact indicator shall be used with care as the uncertainties of these results are high or as there is limited experience with the indicator.





TABLE 6: POTENTIAL ENVIRONMENTAL IMPACT – ADDITIONAL MANDATORY AND VOLUNTARY INDICATORS

Results per functional or declared unit							
Indicator	Unit	Tot.A1-A3	C1	C2	C3	C4	D
GWP- GHG ²	kg CO ₂ eq.	3,52E+01	4,09E-01	1,05E-01	9,65E+00	0,00E+00	-1,15E+01

Additional voluntary indicators have been calculated in the background report.

Use of resources

Results per functional or declared unit							
Indicator	Unit	Tot.A1-A3	C1	C2	C3	C4	D
PERE	MJ	2,35E+02	1,52E+00	2,11E-02	1,02E-01	0,00E+00	-1,84E+01
PERM	MJ	1,05E+02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PERT	MJ	3,40E+02	1,52E+00	2,11E-02	1,02E-01	0,00E+00	-1,84E+01
PENRE	MJ	3,76E+02	8,77E+00	1,66E+00	1,77E+00	0,00E+00	-2,06E+02
PENRM	MJ.	2,57E+02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
PENRT	MJ	6,32E+02	8,77E+00	1,66E+00	1,77E+00	0,00E+00	-2,06E+02
SM	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
RSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
NRSF	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
FW	m³	2,82E-01	7,32E-03	1,97E-04	6,71E-03	0,00E+00	-8,94E-02
PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; PENRM = Use of non-renewable primary energy resources used as raw materials; PENRT = Total use of non-renewable primary energy re-sources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non-renewable secondary fuels; FW = Use of net fresh water							

_

² The indicator includes all greenhouse gases included in GWP-total but excludes biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. This indicator is thus almost equal to the GWP indicator originally defined in EN 15804:2012+A1:2013.





Waste production and output flows

Waste production

Results per functional or declared unit							
Indicator	Unit	Tot.A1-A3	C1	C2	C 3	C4	D
Hazardous waste disposed	kg	1,34E-01	1,23E-03	9,13E-05	6,14E-01	0,00E+00	-1,56E-02
Non-hazardous waste disposed	kg	1,00E+01	2,91E-02	1,55E-01	2,54E-01	0,00E+00	-4,00E-01
Radioactive waste disposed	kg	2,85E-03	6,43E-05	1,12E-05	5,11E-06	0,00E+00	-7,89E-04

Output flows

Output nows							
Results per functional or declared unit							
Indicator	Unit	Tot.A1- A3	C1	C2	C3	C4	D
Components for re-use	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Material for recycling	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for energy recovery	kg	0,00E+00	0,00E+00	0,00E+00	1,17E+01	0,00E+00	0,00E+00
Exported energy, electricity	MJ	0,00E+00	0,00E+00	0,00E+00	4,41E+01	0,00E+00	0,00E+00
Exported energy, thermal	MJ	0,00E+00	0,00E+00	0,00E+00	8,95E+01	0,00E+00	0,00E+00

Information on biogenic carbon content

Results per functional or declared unit							
BIOGENIC CARBON CONTENT Unit QUANTITY							
Biogenic carbon content in product	kg C	3,94E+00					
Biogenic carbon content in packaging kg C Not considered							

Note: 1 kg biogenic carbon is equivalent to 44/12 kg CO₂.





Additional information

Reducing the carbon footprint are key parts of our overall sustainability policy and it is based on our core belief that it is the right thing to do. We are also convinced that reducing our overall environmental footprint is essential to the long-term success of our business and the environment around us. That is why sustainability is embedded in our business philosophy with the credo 'do no harm, do good, do better.'

At the core of our sustainability strategy is the principle that we should start with ourselves when we seek to improve the world: 'do no harm.' Our approach is straightforward: we measure our impact, select targets to reduce this impact and monitor and report on progress. To measure our impact, we use the Life Cycle Assessment (LCA) methodology.

The second element of our strategy is to look for opportunities that support the environment beyond the direct scope of our own manufacturing footprint: 'do good.' This includes creating highly durable products that have a long lifespan that limit the need for replacement. Additionally, we will develop projects that absorb or reduce carbon emissions that are not directly linked to our factories or product portfolio. We believe that addressing sustainability challenges will allow our company to continue to grow and 'do better' in the future. Investing in sustainability should – in the end – ensure that these efforts go beyond established regulatory requirements and the net effect of our efforts will positively impact the environment in which we operate.

Further details on our philosophy, approach and goals can be found in our position paper available online: https://www.formica.com/en-gb/campaigns/sustainability





References

- 1. EN 438-2:2016 High-pressure decorative laminates (HPL).
- 2. EN 15804:2012+A2 Sustainability of construction works Environmental product declarations Core rules for the product category of construction products.
- 3. ISO. (2006). ISO 14040: Environmental management Life cycle assessment Principles and framework. Geneva: International Organization for Standardization.
- 4. ISO. (2006). ISO 14044: Environmental management Life cycle assessment Requirements and guidelines. Geneva: International Organization for Standardization.
- 5. PCR 2019:14. Construction Products And Construction Services. Version 1.11.
- 6. Nemho (2022). Background report for EPD Vivix+
- 7. EPD International. (2019). GENERAL PROGRAMME INSTRUCTIONS FOR THE INTERNATIONAL EPD® SYSTEM V 3.01
- 8. ICDLI (2015). Technical characteristics and physical properties of HPL (Technical leaflet).
- Plastics Europe (2018). European Plastic Waste: Recycling Overtakes Landfill For The First Time European plastic waste: recycling overtakes landfill for the first time: PlasticsEurope taken from: https://www.plasteurope.com/news/PLASTICS_RECYCLING_EUROPE_t238815/